

C++ Certified Associate Programmer

1. What will the variable "age" be in class B?

```
class A {  
    int x;  
protected:  
    int y;  
public:  
    int age;  
    A () { age=5; };  
};
```

```
class B : public A {  
    string name;  
public:  
    B () { name="Bob"; };  
    void Print() {  
        cout << name << age;  
    }  
};
```

A. public

B. private

C. protected

D. None of these

Answer(s): A

2. What happens when you attempt to compile and run the following code?

```
#include  
#include  
  
using namespace std;
```

```
class complex{
double re, im;
public:
complex() : re(1),im(0.4) {}
complex operator=(complex &t);
void Print() { cout << re << " " << im; }
};
```

```
complex complex::operator=(complex &t){
complex temp;
temp.re = this->re ? t.re;
temp.im = this->im ? t.im;
return temp;
}
```

```
int main(){
complex c1,c2,c3;
c3 = c1 ? c2;
c3.Print();
}
```

A. It prints: 1 0.4

B. It prints: 2 0.8

C. It prints: 0 0

D. It prints: 1 0.8

Answer(s): C

3. What happens when you attempt to compile and run the following code?

```
#include
using namespace std;
class complex{
double re;
double im;
public:
complex() : re(0),im(0) {}
```

```
complex(double x) { re=x,im=x;};
complex(double x,double y) { re=x,im=y;}
void print() { cout << re << " " << im;}
};

int main(){
complex c1;
c1 = 3.0;
c1.print();
return 0;
}
```

A. It prints: 0 0

B. It prints: 1 1

C. It prints: 3 3

D. Compilation error

Answer(s): C

4. What happens when you attempt to compile and run the following code?

```
#include
```

```
using namespace std;
```

```
void fun(int);
```

```
int main()
{
int a=0;
fun(a);
return 0;
}
```

```
void fun(int n)
{
if(n < 2)
{
```

```
fun(++n);  
cout << n;  
}  
}
```

A. It prints: 21

B. It prints: 012

C. It prints: 0

D. None of these

Answer(s): A

5. What happens when you attempt to compile and run the following code?

```
#include  
using namespace std;
```

```
int s(int n);
```

```
int main()  
{  
int a;  
a = 3;  
cout << s(a);  
return 0;  
}
```

```
int s(int n)  
{  
if(n == 0) return 1;  
return s(n?1)*n;  
}
```

A. It prints: 4

B. It prints: 6

C. It prints: 3

D. It prints: 0

Answer(s): B

6. What will be the output of the program?

#include

```
using namespace std;
```

```
int fun(int);
```

```
int main()
{
    cout << fun(5);
    return 0;
}
```

```
int fun(int i)
{
    return i*i;
}
```

A. 25

B. 5

C. 0

D. 1

Answer(s): A

7. What happens when you attempt to compile and run the following code?

#include

```
using namespace std;
```

```
#define FUN(arg) if(arg) cout<<"Test";  
  
int main()  
{  
    int i=1;  
    FUN(i<3);  
    return 0;  
}
```

A. It prints: 0

B. It prints: T

C. It prints: T0

D. It prints: Test

Answer(s): D

8. What will the variable "y" be in class B?

```
class A {  
    int x;  
protected:  
    int y;  
public:  
    int age;  
};
```

```
class B : private A {  
    string name;  
public:  
    void Print() {  
        cout << name << age;  
    }  
};
```

A. public

B. private

C. protected

D. None of these

Answer(s): B

9. What happens when you attempt to compile and run the following code?

```
#include
```

```
using namespace std;
```

```
int main()
{
float x=3.5,y=1.6;
int i,j=2;
i = x + j + y;
cout << i;
return 0;
}
```

A. It prints: 7

B. It prints: 6

C. It prints: 7,1

D. Compilation error

Answer(s): A

10. What happens when you attempt to compile and run the following code?

```
#include
```

```
using namespace std;
```

```
int main(){
int i = 1;
if (i==1) {
```

```
cout << i;  
} else {  
    cout << i-1;  
}  
return 0;  
}
```

A. It prints: 0

B. It prints: 1

C. It prints: -1

D. It prints: 2

Answer(s): B

11. What happens when you attempt to compile and run the following code?

```
#include  
#include  
  
using namespace std;  
  
class complex{  
double re, im;  
public:  
complex() : re(1),im(0.4) {}  
complex operator+(complex &t);  
void Print() { cout << re << " " << im; }  
};  
  
complex complex::operator+ (complex &t){  
complex temp;  
temp.re = this->re + t.re;  
temp.im = this->im + t.im;  
return temp;  
}  
  
int main(){
```

```
complex c1,c2,c3;  
c3 = c1 + c2;  
c3.Print();  
}
```

A. It prints: 1 0.4

B. It prints: 2 0.8

C. It prints: 0 0

D. Garbage value

Answer(s): B

12. What happens when you attempt to compile and run the following code?

```
#include  
#include
```

```
using namespace std;
```

```
float* sum(float a,float b);
```

```
float* sum(float a,float b)  
{  
    float *f = new float;  
    *f = a+b;  
    return f;  
}
```

```
int main()  
{  
    float a,b,*f;  
    a = 1.5; b = 3.4;  
    f = sum(a,b);  
    cout<<*f;  
  
    return 0;  
}
```

A. It prints: 0

B. It prints: 4.9

C. It prints: 5

D. It prints: 4

Answer(s): B

13. Which statement should be added in the following program to make work it correctly?

using namespace std;

```
int main (int argc, const char * argv[])
{
    cout<<"Hello";
}
```

A. #include

B. #include

C. #include

D. #include

Answer(s): C

14. What is the output of the program?

#include

using namespace std;

```
int main()
{
    int tab[4]={10,20,30,40};
    tab[1]=10;
    int *p;
    p=&tab[0];
```

```
cout<<*p;  
return 0;  
}
```

A. It prints: 10

B. It prints: 20

C. It prints: 11

D. It prints: 30

Answer(s): A

15. What happens when you attempt to compile and run the following code?

```
#include  
using namespace std;
```

```
int fun(int x) {  
    return 2*x;  
}
```

```
int main(){  
    int i;  
    i = fun(1) & fun(0);  
    cout << i;  
    return 0;  
}
```

A. It prints: 0

B. It prints: 1

C. It prints: -1

D. Compilation error

Answer(s): A

16. What happens when you attempt to compile and run the following code?

```
#include  
using namespace std;
```

```
class A {  
public:  
    virtual void Print()=0;  
};  
class B:public A {  
public:  
    virtual void Print() { cout<< "B"; }  
};  
class C:public A {  
public:  
    virtual void Print() { cout<< "C"; }  
};  
int main()  
{  
    B ob2;  
    C ob3;  
    A *obj;  
    obj = &ob2;  
    obj->Print();  
    obj = &ob3;  
    obj->Print();  
}
```

A. It prints: BC

B. It prints: CB

C. It prints: CC

D. It prints: BB

Answer(s): A

17. What will the variable "age" be in class B?

```
class A {
```

```
int x;  
protected:  
int y;  
public:  
int age;  
};
```

```
class B : private A {  
string name;  
public:  
void Print() {  
cout << name << age;  
}  
};
```

A. public

B. private

C. protected

D. None of these

Answer(s): B

18. What happens when you attempt to compile and run the following code?

```
#include
```

```
using namespace std;
```

```
int x=5;
```

```
static int y;
```

```
int i=0;
```

```
void static myFunction()
```

```
{
```

```
y=x++ + ++i;
```

```
}
```

```
int main (int argc, const char * argv[])
{
    x++;
    myFunction();
    cout<
```

A. Compilation fails

B. It prints: 5 5 0

C. It prints: 7 7 1

D. It prints: 6 5 1

Answer(s): C

19. Which of the structures is incorrect?

1:

```
struct s1{
    int x;
    long int li;
};
```

2:

```
struct s2{
    float f;
    struct s2 *s;
};
```

3:

```
struct s3{
    float f;
    struct s3 s;
};
```

A. 1

B. 2

C. 3

D. 2, 3

Answer(s): C

20. What is the output of the program?

#include

#include

using namespace std;

```
int main()
{
    string s1="Wo";
    string s2;
    s2 = s1;
    string s3;
    s3 = s2.append("rldHello");
    cout << s3;
    return( 0 );
}
```

A. It prints: WorldHello

B. It prints: HelloWo

C. It prints: World

D. It prints: Hello

Answer(s): A
