Salesforce B2B Commerce Developer

1 . W	hat are three ways to implement custom post Order processing? (3 answers)
	A. Use a Salesforce workflow rule that executes when an Order record is created.
	B. Extend cc_hk_invoiceto handle custom business logic post Order processing
	C. Use cc_hk_Order.placeTarget to define a new Order Confirmation page which executes additional business logic.
	D. Modify or add custom Cart formula fields to handle logic.
	E. Use Process builder to implement business processes that execute when an Order record is created.
Ansı	wer(s): A C E
2. W	hich twousages of ccLog should be avoided in Salesforce B2B Commerce? (2 answers)
2. W	Thich twousages of ccLog should be avoided in Salesforce B2B Commerce? (2 answers) A. ccrz.ccLog.log(System.LoggingLevel.ERROR, 'D:something', myCallToGetMessage(pl)), where myCallToGetMessage(pl) is a method invocation
2. W	A. ccrz.ccLog.log(System.LoggingLevel.ERROR, 'D:something', myCallToGetMessage(pl)), where
2. W	A. ccrz.ccLog.log(System.LoggingLevel.ERROR, 'D:something', myCallToGetMessage(pl)), where myCallToGetMessage(pl) is a method invocation B. crz.ccLog.log(System.LoggingLevel.WARN, 'D:something', 'Something unexpected occurred: The
2. W	A. ccrz.ccLog.log(System.LoggingLevel.ERROR, 'D:something', myCallToGetMessage(pl)), where myCallToGetMessage(pl) is a method invocation B. crz.ccLog.log(System.LoggingLevel.WARN, 'D:something', 'Something unexpected occurred: The data we were expecting for pl was not there,') C. crz.ccLog.log(System.LoggingLevel.DEBUG, 'D:myOrderList', myOrderList), where myOrderList

A. Changes based on API and Method name
B. ccrz.cc_Output (ccrz:cc_Input input)
C. Map
D. List
Answer(s): C
4. What is the recommended method for increasing the number of required autocomplete characters that are typed before autocomplete works?
A. Override and extend the autoComplete method in cc_hk_Catalog.
B. Override theautoComplete.search_input.minLength value in the CCRZ.uiProperties file
C. Override the autocomplete template and create and register a new handlebars helper.
D. Update theminLength property in CC Admin, then build and activate a new cache.
Answer(s): B
5. Numerous flags when set, have a direct impact on the result set provided by the Global API's. Which conversion flag allows for sObjects to be returned from the Global API's when provided as a Boolean parameter with a value of true?
A. ccrz.ccAPISizing.SKIPTRZ
B. ccrz.ccAPISizing.SOBJECT
C. ccrz.ccAPI.SZ_SKIPTRZ
D. ccrz.ccAPI.SZ_SOBJECT

3. Which method signature is used in the Global API's?

6. What is a best practice when passing query parameters from user interface to an apex controller?
A. Query parameters should be properly sanitized by using JSINHTMLENCODE within the VisualForce Page orComponent.
B. String parameters should be trimmed using String.trim().
C. Query parameters should be passed only to Salesforce B2B Commerce classes that you are extending.
D. Query parameters should be stored on a backbone model prior to passing them to the server
Answer(s): A
7. Which three steps are necessary to have subscriberpage added to Salesforce B2B Commerce after creating a custom Visualforce page? (3 answers)
☐ A. Create a new CC Subscriber Page record that points to your custom Visualforce page.
B. Create a new Visualforce page, and manually import the Salesforce B2BCommerce JavaScript libraries. Run in Anonymous Apexccrz.cc_util_Reflection.upsertPageUIKey([arg1],[arg2],[arg3]);
C. Refresh the Page Keys Index in CC Admin.
☐ D. Enable the Subscriber Page in CC Admin.
Answer(s): A C D
8. How are version related upgrades passed on to subscriber API extensions/overrides?
A. APIs callback with specific versions specified; the user must know which version number to use.
B. Copy and paste of specific code is "built-in"

Answer(s): C

C. Extensions and overridden APIs don't support-related upgrades.
D. The "delegate" allows inherited method calls access to the most recentlyspecified service version
Answer(s): D
9. When a user buys 10 units of product B, the user wants 1 unit of Product A to be automatically added to the cart. How can this requirement be fulfilled?
A. Override the AllowCheckout method in ccrz.cc_api_CartExtension
B. Override the prepareForSave method in ccrz.cc_api_CartExtension
C. Override the preprocess method in ccrz.cc_api_CartExtension
D. Override the prepareToAdd method in ccrz.cc_api_CartExtension
Answer(s): C 10. What is a method to resolve if the current storefront customer is a Salesforce B2B Commerce guest user in an apex class?
A. ccrz.cc_CallContext.currUser.isGuest
B. ccrz.cc_CallContext.isGuest
C. UserInfo.getUserType()
D UserType
Answer(s): B
11. Where is the API-based record creation generally handled in Salesforce B2B Commerce?

B. The service-layer responsible for the entity
C. Data creation is not allowed
D. Logic classes that implement the businesslogic for create operations
Answer(s): B
12. Which two aspects are applicable to Page Includes? (2 answers)
☐ A. Standard Visualforce controls such as apex:form should not be used within a page include
☐ B. Page Includes must be assigned to an OOTB Page, i.e. Home, Product Detail, etc., and enabled
C. Page Includes can be configured as Body Includes Begin.
☐ D. If a controller is used for an included page, then a merge variable must be present on the page.
Answer(s): A D
13. Which two statement are true for Mass Order (2 answers)
☐ A. Mass Order pricing is done via a batch job.
☐ B. Mass order works withthe default wishlists
C. The variation product is leveraged for SKUs.
D. Mass Order is mobile ready with the ccrz templates.
Answer(s): A C
14. What two kinds of queries do the methods in Salesforce B2B Commerce services performby

default? (2 answers)

☐ A. SOSL		
☐ B. SQL		
☐ C. SOQL		
☐ D. Schema-less queries		
Answer(s): A C		
15. Which method is used to override when extending the Salesforce B2B Commerce logic providers?		
A. doLogic		
B. process		
C. doAction		
D. fetch		
Answer(s): B		
16. Which three statements are true regarding event handling in the Salesforce B2B Commerce managed package? (3 answers)		
☐ A. Salesforce B2B Commerce relies on a series of Javascript click listener events.		
B. Writing directly to your own custom Backbone JS Views and Models automaticallyintegrates that data into the Salesforce B2B Commerce Backbone Views and Models.		
C. Salesforce B2B Commerce relies on a central event channel for communication across various Salesforce B2B Commerce Backbone Views and Models called CCRZ.pubSub.		
D. CCRZ.pubSub defines the following three functions which can be used for event handling: trigger, on, and once.		

☐ E. CCRZ.pubSub extends the Backbone.Events JavaScript object.
Answer(s): C D E
17. Which out of the box Salesforce B2B Commerce page can give instructions to web crawlers from accessing specific Salesforce B2B Commerce pages?
A. CCCat?SiteMap
B. cc_RobotsTxT
C. CCSiteIndex
D. CCPage
Answer(s): B
18. What is essential for a Salesforce B2B Commerce theme to show up in the theme section in CC Admin?
A. The theme needs to be set as aCustom Setting in Salesforce.
B. The theme needs to be set in the Configuration Settings.
C. The theme needs to have "theme" in the name of the Static Resource.
D. The theme needs to be referred to in the head element on the page
Answer(s): C
19. Where are handlebar Templates defined in the Cloudcraze managed package?
A. uiProperties file
B. Configuration Setting configuration

C. cc_hk_UserInterface extension		
D. Page Settings configuration		
Answer(s): A		
20. Salesforce B2B Commerce natively provides a robots.txt file, however, a customer can also create its own version. Which three scenarios are valid reasons for customer to create their own robots.txt file? (3 answers)		
☐ A. The customer wants to reference multiple storefront sitemap indexes in a single robots.txt file		
☐ B. The customer wants to reference a custom sitemap index.		
C. The customer wants to have multiple robot.txt files in a single Salesforce Community.		
☐ D. The customer's store is not located at the rootof their domain.		
☐ E. robot.txt only works if there is one storefront in the org		
Answer(s): ABD		