

Junos, Associate (JNCIA-Junos)

1. Topic #: 1

Click the Exhibit button.

Referring the exhibit, what does the highlighted number indicate?

A. A. hop count is 5

B. B. cost is 5

C. C. metric is 5

D. D. route preference is 5

Answer(s): D

2. Question #: 34

Topic #: 1

Click the Exhibit button.

Referring to the exhibit, where are the configuration backup files stored?

A. A. Files are stored to the SCP site and the FTP site in a round-robin manner.

B. B. Files are stored to the SCP site and the FTP site simultaneously.

C. C. Files are stored to any site as selected by Junos internally.

D. D. Files are stored to the SCP site but if the transfer fails, then to the FTP site.

Answer(s): D

3. Question #: 33

Topic #: 1

Your router has a route to the 10.1.1.0/24 network with a next hop of rjct.

In this scenario, which action will your router perform when traffic destined to the 10.1.1.0/24 network is received?

A. A. The traffic will be discarded and an ICMP unreachable message will be sent to the destination of the traffic.

B. B. The traffic will be silently discarded.

C. C. The traffic will be redirected using a default route.

D. D. The traffic will be discarded and an ICMP unreachable message will be sent to the source of the traffic.

Answer(s): D

4. Question #: 32

Topic #: 1

How many login classes are assignable to a user account?

A. A. 2

B. B. 1

C. C. 4

D. D. 3

Answer(s): B

5. Question #: 9

Topic #: 1

In the Junos OS, which keyboard shortcut allows you to move to the start of the line?

A. A. Ctrl+e

B. B. Ctrl+a

C. C. Ctrl+k

D. D. Ctrl+w

Answer(s): C

6. Question #: 67

Topic #: 1

You issue the monitor traffic interface ge-0/0/0 command.

A. What will this command accomplish?

Answer(s): C

7. Question #: 42

Topic #: 1

You have completed the initial configuration of your new Junos device. You want to be able to load this configuration at a later time.

Which action enables you to perform this task?

A. A. Enter the request system reboot command.

B. B. Enter the load factory-default command.

C. C. Enter the request system configuration rescue save command.

D. D. Enter the request system zeroize command.

Answer(s): C

8. Question #: 31

Topic #: 1

Which process in the Junos OS is responsible for maintaining routing protocols and tables?

A. A. mgd

B. B. chassisd

C. C. dcd

D. D. rpd

Answer(s): D

9. Question #: 22

Topic #: 1

Click the Exhibit button.

How is traffic, sourced from 10.0.0.0/8, treated by the firewall filter shown in the exhibit?

A. A. logged with no further action

B. B. logged and accepted

C. C. logged and rejected

D. D. logged and discarded

Answer(s): C

10. Question #: 19

Topic #: 1

Which two statements about route preference in Junos are correct? (Choose two.)

A. A. Both direct and static routes have the same preference.

B. B. Both direct and local routes have the same preference.

C. C. Both OSPF internal and OSPF AS external routes have the same preference.

D. D. Both EBGP and IBGP routes have the same preference.

Answer(s): BD

11. Question #: 15

Topic #: 1

Which two statements are correct about firewall filters? (Choose two.)

A. A. "Discard" is the default action of packets that are not explicitly allowed.

B. B. There can be only one firewall filter.

C. C. There can be multiple firewall filters.

D. D. "Accept" is the default action of packets that are not explicitly allowed.

Answer(s): AC

12. Question #: 14

Topic #: 1

Which protocol is responsible for learning an IPv4 neighbor's MAC address?

A. A. Neighbor Discovery Protocol (NDP)

B. B. Address Resolution Protocol (ARP)

C. C. Media Access Control Security (MACsec)

D. D. Network Address Translation (NAT)

Answer(s): B

13. Question #: 88

Topic #: 1

Click the Exhibit button.

A.

Answer(s): A

14. Question #: 20

Topic #: 1

What are two link-state routing protocols? (Choose two.)

A. A. RIP

B. B. IS-IS

C. C. BGP

D. D. OSPF

Answer(s): B

15. Question #: 17

Topic #: 1

What information does the forwarding table require so that the device forwards traffic? (Choose three.)

A. A. BGP local preference value

B. B. next hop IP address

C. C. outgoing interface name

D. D. OSPF metric value

E. E. next hop MAC address

Answer(s): B

16. Question #: 16

Topic #: 1

Which Junos OS component is responsible for maintaining the forwarding table?

A. A. Packet Forwarding Engine

B. B. chassis control daemon

C. C. Routing Engine

D. D. management daemon

Answer(s): C

17. Question #: 52

Topic #: 1

Which two actions happen when multiple users issue the configure exclusive command to enter configuration mode on a Junos device? (Choose two.)

A. A. Other users can enter configuration mode.

B. B. The candidate configuration is locked.

C. C. Other users cannot enter configuration mode.

D. D. The candidate configuration is unlocked.

Answer(s): AB

18. Question #: 1

Topic #: 1

Which two statements are correct regarding Layer 2 network switches? (Choose two.)

A. A. Switches flood broadcast traffic.

B. B. Switches are susceptible to traffic loops.

C. C. Switches do not learn MAC addresses.

D. D. Switches create a single collision domain.

Answer(s): AB

19. Question #: 62

Topic #: 1

Which two statements are correct about MAC addresses? (Choose two.)

A. A. Switches use the Address Resolution Protocol table to assign MAC addresses to network interface cards in the forwarding frame.

B. B. Switches use the destination MAC address to identify the next-hop destination and to change the destination MAC address in the frame.

C. C. The source and destination MAC addresses always remains static to the final destination.

D. D. The MAC address identifies the physical hardware.

Answer(s): CD

20. Question #: 74

Topic #: 1

Click the Exhibit button.

A.

Answer(s): A
