

Microsoft Information Protection Administrator

1. You create three sensitivity labels named Sensitivity1, Sensitivity2, and Sensitivity3 and perform the following actions:

-Publish Sensitivity1.

-Create an auto-labeling policy for Sensitivity2.

You plan to create a file policy named Policy1 in Microsoft Cloud App Security.

Which sensitivity labels can you apply to Microsoft SharePoint Online in Policy1?

A. Sensitivity1 only

B. Sensitivity1, Sensitivity2, and Sensitivity3

C. Sensitivity2 only

D. Sensitivity1 and Sensitivity2 only

Answer(s): A

2. You have a Microsoft OneDrive for Business folder that contains the files shown in the following table.

Type	Number of files
.jpg	50
.docx	300
.txt	50
.zip	20

In Microsoft Cloud App Security, you create a file policy to automatically apply a classification. What is the effect of applying the policy?

A. The policy will apply to only the .docx and .txt files. The policy will classify the files within 24 hours.

B. The policy will apply to all the files. The policy will classify only 100 files daily.

C. The policy will apply to only the .docx files. The policy will classify only 100 files daily.

D. The policy will apply to only the .docx and .txt files. The policy will classify the files immediately.

Answer(s): C

3. HOTSPOT (Drag and Drop is not supported)

You have a Microsoft 365 tenant named contoso.com that contains two users named User1 and User2. The tenant uses Microsoft Office 365 Message Encryption (OME).

User1 plans to send emails that contain attachments as shown in the following table.

Subject	To	Attachment type	Message size
Mail1	User2@contoso.com	.docx	40 MB
Mail2	User4@outlook.com	.doc	3 MB
Mail3	User3@gmail.com	.xlsx	7 MB

User2 plans to send emails that contain attachments as shown in the following table.

Subject	To	Attachment type	Message size
Mail4	User1@contoso.com	.pptx	4 MB
Mail5	User4@outlook.com	.jpg	6 MB
Mail6	User3@gmail.com	.docx	3 MB

For which emails will the attachments be protected? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

User1: ▼

- Mail1 only
- Mail3 only
- Mail1 and Mail2 only
- Mail2 and Mail3 only
- Mail1, Mail2, and Mail3

User2: ▼

- Mail5 only
- Mail6 only
- Mail4 and Mail5 only
- Mail4 and Mail6 only
- Mail1, Mail2, and Mail3

A. See Explanation section for answer.

Answer(s): A

4. HOTSPOT (Drag and Drop is not supported)

You use project codes that have a format of three alphabetical characters that represent the project type, followed by three digits, for example Abc123.

You need to create a new sensitive info type for the project codes.

How should you configure the regular expression to detect the content? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

(\s)(

▼
[aA]{3}
[abc]{3}
[alpha]{3}
[a-zA-Z]{3}

 \

▼
d{000-999}
d{123}
d{3}

) (\s)

A. See Explanation section for answer.

Answer(s): A

5. HOTSPOT (Drag and Drop is not supported)

You have a Microsoft SharePoint Online site named Site1 and a sensitivity label named Sensitivity1. Sensitivity1 adds a watermark and a header to content.

You create a policy to automatically apply Sensitivity1 to emails in Microsoft Exchange Online and Site1.

How will Sensitivity1 mark matching emails and Site1 documents? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Exchange Online emails:

▼
A header only
A watermark only
A watermark and a header

Site1 documents:

▼
A header only
A watermark only
A watermark and a header

A. See Explanation section for answer.

Answer(s): A

6. HOTSPOT (Drag and Drop is not supported)

You need to implement an information compliance policy to meet the following requirements:

-Documents that contain passport numbers from the United States, Germany, Australia, and Japan must be identified automatically.

-When a user attempts to send an email or an attachment that contains a passport number, the user must receive a tooltip in Microsoft Outlook.

-Users must be blocked from using Microsoft SharePoint Online or OneDrive for Business to share a document that contains a passport number.

What is the minimum number of sensitivity labels and auto-labeling policies you should create? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Sensitivity labels:

1
2
3
4

Auto-labeling policies:

1
2
3
4

A. See Explanation section for answer.

Answer(s): A

7. HOTSPOT (Drag and Drop is not supported)

You have a Microsoft 365 E5 tenant.

You create sensitivity labels as shown in the Sensitivity Labels exhibit.

+ Create a label Publish labels Refresh

Name	Order	Scope
Public	0 – lowest	File, Email
General	1	File, Email
– Confidential	2	File, Email
Internal	3	File, Email
External	4 – highest	File, Email

The Confidential/External sensitivity label is configured to encrypt files and emails when applied to content. The sensitivity labels are published as shown in the Published exhibit.

Sensitivity Policy1

Edit policy

Delete policy

Name

Sensitivity Policy1

Description

Published labels

Public

General

External/External

Internal/Internal

Confidential

Published to

All

Policy settings

Users must provide justification to remove a label or lower its classification

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
The Internal sensitivity label inherits all the settings from the Confidential label.	<input type="radio"/>	<input type="radio"/>
Users must provide justification if they change the label of content from Confidential/Internal to Confidential/External.	<input type="radio"/>	<input type="radio"/>
Content that has the Confidential/External label applied will retain the encryption settings if the sensitivity label is removed from the label policy.	<input type="radio"/>	<input type="radio"/>

A. See Explanation section for answer.

Answer(s): A

8. You are implementing a data classification solution.

The research department at your company requires that documents containing programming code be labeled as Confidential. The department provides samples of the code from its document library. The solution must minimize administrative effort.

What should you do?

A. Create a custom classifier.

B. Create a sensitive info type that uses Exact Data Match (EDM).

C. Use the source code classifier.

D. Create a sensitive info type that uses a regular expression.

Answer(s): C

9. You have a new Microsoft 365 tenant.

You need to ensure that custom trainable classifiers can be created in the tenant. To which role should you be assigned to perform the configuration?

A. Security administrator

B. Security operator

C. Global administrator

D. Compliance administrator

Answer(s): C

10. You need to automatically apply a sensitivity label to documents that contain information about your company's network including computer names, IP addresses, and configuration information.

Which two objects should you use? Each correct answer presents part of the solution. (Choose two.)

NOTE: Each correct selection is worth one point.

A. an Information protection auto-labeling policy

B. a custom trainable classifier

C. a sensitive info type that uses a regular expression

D. a data loss prevention (DLP) policy

E. a sensitive info type that uses keywords

F. a sensitivity label that has auto-labeling

Answer(s): B F

11. You are creating a custom trainable classifier to identify organizational product codes referenced in Microsoft 365 content.

You identify 300 files to use as seed content. Where should you store the seed content?

A. a Microsoft SharePoint Online folder

B. a Microsoft OneDrive for Business folder

C. an Azure file share

D. Microsoft Exchange Online shared mailbox

Answer(s): A

12. Each product group at your company must show a distinct product logo in encrypted emails instead of the standard Microsoft Office 365 logo.

What should you do to create the branding templates?

A. Create a Transport rule.

B. Create an RMS template.

C. Run the Set-IRMConfigurationcmdlet.

D. Run the New-OMEConfigurationcmdlet.

Answer(s): D

13. You create a custom sensitive info type that uses Exact Data Match (EDM). You plan to periodically update and upload the data used for EDM.

What is the maximum frequency with which the data can be uploaded?

A. twice per week

B. twice per day

C. once every six hours

D. once every 48 hours

E. twice per hour

Answer(s): B

14. HOTSPOT (Drag and Drop is not supported)

You are implementing Microsoft Office 365 Message Encryption (OME) for a Microsoft 365 tenant named contoso.com.

You need to meet the following requirements:

-All email to a domain named fabrikam.com must be encrypted automatically.

-Encrypted emails must expire seven days after they are sent.

What should you configure for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

All email to a domain named fabrikam.com must be encrypted automatically:

- A data connector in the Microsoft 365 compliance center
- A data loss prevention (DLP) policy in the Microsoft 365 compliance center
- A mail flow connector in the Exchange admin center
- A mail flow rule in the Exchange admin center

Encrypted emails must expire seven days after they are sent:

- A custom branding template in Microsoft Exchange Online PowerShell
- A label policy in the Microsoft 365 compliance center
- A mail flow rule in the Exchange admin center
- A sensitive info type in the Microsoft 365 compliance center

A. See Explanation section for answer.

Answer(s): A

15. A user reports that she can no longer access a Microsoft Excel file named Northwind Customer Data.xlsx. From the Cloud App Security portal, you discover the alert shown in the exhibit.

Alerts > **File containing PCI detected in the clou...** 11/21/20 1:10 PM +30 MEDIUM SEV

File containing PCI detected in the cloud (built-in DLP engine) Microsoft SharePoint Online Megan Bowen Northwind Customer Data.xlsx

Resolution options: Northwind Customer Data.xlsx File is in quarantine Megan Bowen Close alert

Description

File policy "File containing PCI detected in the cloud (built-in DLP engine)" was matched by "Northwind Customer Data.xlsx"

Important information

- This alert falls under the following MITRE tactic: Execution

Files

No files found

File name	Owner	App	Collaborators	Policies	Last modified
-----------	-------	-----	---------------	----------	---------------

File policy report

File **Quarantined** History

1 - 1 of 1 files

File name	Owner	App	Collaborators	Policies	Last modified
Northwind Custo...	Megan Bowen	Microsoft Share...	5 collaborators	1 policy match	Nov 21, 2020

You restore the file from quarantine.

You need to prevent files that match the policy from being quarantined. Files that match the policy must generate an alert.

What should you do?

A. Modify the policy template.

B. Assign the Global reader role to the file owners.

C. Exclude file matching by using a regular expression.

D. Update the governance action.

Answer(s): D

16. HOTSPOT (Drag and Drop is not supported)

You create a sensitivity label as shown in the Sensitivity Label exhibit.



You create an auto-labeling policy as shown in the Auto Labeling Policy exhibit.



A user sends the following email:

From: user1@contoso.com

To: user2@fabrikam.com

Subject: Address List

Message Body:

Here are the lists that you requested.

Attachments:



Both attachments contain lists of IP addresses.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
Sensitivity1 is applied to the email.	<input type="radio"/>	<input type="radio"/>
A watermark is added to File1.docx.	<input type="radio"/>	<input type="radio"/>
A header is added to File2.xml.	<input type="radio"/>	<input type="radio"/>

A. See Explanation section for answer.

Answer(s): A

17. You receive an email that contains a list of words that will be used for a sensitive information type. You need to create a file that can be used as the source of a keyword dictionary.

In which format should you save the list?

A. a JSON file that has an element for each word

B. an ACCDB database file that contains a table named Dictionary

C. an XML file that contains a keyword tag for each word

D. a CSV file that contains words separated by commas

Answer(s): D

18. You have a Microsoft 365 E5 tenant that uses a domain named contoso.com.

A user named User1 sends link-based, branded emails that are encrypted by using Microsoft Office 365 Advanced Message Encryption to the recipients shown in the following table.

Name	Email address
Recipient1	Recipient1@contoso.com
Recipient2	Recipient2@fabrikam.onmicrosoft.com
Recipient3	Recipient3@outlook.com
Recipient4	Recipient4@gmail.com

For which recipients can User1 revoke the emails?

A. Recipient4 only

B. Recipient1 only

C. Recipient1, Recipient2, Recipient3, and Recipient4

D. Recipient3 and Recipient4 only

E. Recipient1 and Recipient2 only

Answer(s): A

19. You need to test Microsoft Office 365 Message Encryption (OME) capabilities for your company. The test must verify the following information:

-The acquired default template names

-The encryption and decryption verification status

Which PowerShell cmdlet should you run?

A. Test-ClientAccessRule

B. Test-Mailflow

C. Test-OAuthConnectivity

D. Test-IRMConfiguration

Answer(s): D

20. You have a Microsoft 365 tenant that uses trainable classifiers.

You are creating a custom trainable classifier.

You collect 300 sample file types from various geographical locations to use as seed content. Some of the file samples are encrypted.

You organize the files into categories as shown in the following table.

Category	Type	Encryption status
Category1	.docx	Encrypted
Category2	.xlsx	Encrypted
Category3	.docx	Not encrypted
Category4	.mht	Not encrypted
Category5	.htm	Not encrypted

Which file categories can be used as seed content?

A. Category2, Category3, and Category5 only

B. Category3 and Category5 only

C. Category1 and Category3 only

D. Category3 only

E. Category1, Category2, Category3, Category4, and Category5

Answer(s): C
