

Administration of Storage Foundation and HA 6.0 for Windows

1. A system administrator has a server that has lost its primary boot disk.

A. booting to Symantec Recovery Disk via PXE or RIS

B. using Recover My Computer from Windows

C. booting to Symantec Recovery Disk via LightsOut Restore

D. booting to Symantec Recovery Disk via CD or DVD

Answer(s): D

2. Which two are valid shrink operations? (Select two.)

A. The shrink operation works with RAW file systems.

B. The maximum shrink operation is used space plus 15%.

C. The volume must be online.

D. The volume can be shrunk by as little as 512KB.

E. The shrink operation works only with NTFS file systems.

Answer(s): A,C

3. Which utility is used to determine whether a network adapter maintains its connection status in a system-defined variable?

A. getmac

B. NICTest

C. ping

D. getcomms

Answer(s): B

4. Which type of resource will be added to the Veritas Cluster Server configuration in order to start the notification process?

A. Process

B. Notifier

C. Application

D. NotifierMngr

Answer(s): D

5. What are three best practices for creating a recovery point set that will be used by Granular Restore Option (GRO) for restore? (Select three.)

A. Select the option to back up your computer

B. Backup the mount points, if any

C. Select the option to back up files and folders

D. Shutdown the Exchange or SharePoint Server

E. Backup all the drives on the system

Answer(s): A,B,E

6. Which two operating systems are supported by Symantec Backup Exec System Recovery 8.5? (Select two.)

A. Windows NT 4.0 Workstation

B. Fedora Core 8

C. Ubuntu 8.10 Server Edition

D. Windows Vista Ultimate

E. Windows Essential Business Server 2008

Answer(s): D,E

7. What is the minimum privilege needed in order to assign roles to users?

A. System Admin

B. Backup Admin

C. Exchange Admin

D. Domain Admin

Answer(s): A

8. Which option to gabconfig explicitly defines the number of systems that are necessary to seed the cluster?

A. -c

B. -x

C. -n

D. -a

Answer(s): C

9. Which three messages can be displayed through the tray icon for Symantec Backup Exec System Recovery 8.5, when configured correctly? (Select three.)

A. Show Error Messages

B. Show New Hardware

C. Show Missed Backups

D. Show Status Messages

E. Show Destination Status

Answer(s): A,C,D

10. Where should Symantec Backup Exec System Recovery 8.5 recovery point destination threshold be configured to generate a warning when the specified capacity has been exceeded?

A. Tools -> Manage Backup Destination -> Settings

B. Advanced -> Manage Backup Destination -> Move

C. Tools -> Manage Backup Destination -> Clean Up

D. Advanced -> Manage Backup Destination -> Options

Answer(s): A

11. Which characteristic is beyond the capabilities for Symantec Backup Exec System Recovery Manager 8.5?

A. LDAP integration

B. scalable into large enterprises

C. P2V migration

D. managed across multiple domains

Answer(s): A

12. Which Veritas Storage Foundation for Windows feature helps reduce downtime?

A. striped volumes

B. dynamic volume growth

C. mirror spanned volumes

D. volume shred

Answer(s): B

13. Refer to the Service Group Definition displayed below.

A. Server1

B. Server2

C. Server3

D. Server4

Answer(s): B

14. Which user configuration role limits a user to viewing information about various aspects of managed computers?

A. Execute Access

B. Read-only Access

C. Monitor Access

D. Download All

Answer(s): B

15. Which feature allows end users to quickly retrieve their own documents from recovery points using a Web interface?

A. Granular Restore Option (GRO)

B. Backup Exec Restore

C. Recovery Point Browser

D. Backup Exec Retrieve

Answer(s): D

16. Which configuration feature of Symantec Backup Exec System Recovery 8.5 allows the recovery of a remote machine by removing the requirement for external boot media?

A. LightsOut Restore

B. Symantec pcAnywhere

C. Custom System Recovery Disk

D. Offsite FTP Copy feature

Answer(s): A

17. What is the location for active triggers?

A. C:\Program Files\Veritas\VCS\triggers\bin

B. C:\Program Files\VCS\cluster server\bin\triggers

C. C:\Program Files\Veritas\VCS\bin\triggers

D. C:\Program Files\Veritas\cluster server\bin\triggers

Answer(s): D

18. For large configurations, typically over 50 MountV resources, Symantec recommends that MountV resource type NumThreads attribute be set to which value?

A. 20

B. 30

C. 10

D. 40

Answer(s): A

19. Where are log messages found in the Veritas Enterprise Administrator (VEA)?

A. select Actions > Error Console

B. select Tools > Error Console

C. select View > Error Console

D. select File > Error Console

Answer(s): B

20. When performing a restore operation with Symantec Backup Exec System Recovery 8.5, a user can ensure a fast and simple recovery by following simple steps.

A. install base operating system

B. use System Recovery Disk

C. provide location of recovery point

D. replace failed hardware

E. apply user settings

Answer(s): B,C,D
