

IBM Maximo Asset Management V7.5 Implementation

1. The topology viewer contains icons to display which two kinds of information? (Choose two.)

A. Status Indicators

B. Work Indicators

C. Business Indicators

D. Breadth Indicators

E. Detail Indicators

Answer(s): A,B

2. Which statement is true about a master preventive maintenance (PM) record?

A. Associated PM records cannot be created from master PM records.

B. A master PM record does not generate work orders.

C. Associations between existing PM records and a master PM record cannot be made

D. A master PM record generates work orders like any other PM records.

Answer(s): B

3. A customer has an escalation that requires notifications to go to both Marie Smith and her supervisor Lee Tsumi. How can both users be included as recipients on a communication template?

A. Add both e-mail addresses on the Recipients tab

B. Create a role for both Marie and Lee

C. Create a Person Group with Marie as the primary

D. Include both user e-mails in the Recipient field separated by a colon

Answer(s): A

4. Which statement is true related to job plan revisions?

A. Caution must be used to select the most recent job plan revision when applying a job plan to a work order or preventive maintenance record.

B. When a job plan has been revised, IBM Maximo Asset Management V7.5 tracks all changes from previous versions. These changes are available for viewing from Select Action > View Revision History.

C. When a job plan is revised, all existing work orders with the job plan attached are updated with the revised version.

D. A job plan must be in a status of DRAFT or PNDREV for updates and edits to the job plan tab.

Answer(s): D

5. How is a kit item used?

A. To store a group of items for project staging

B. To group items by classification

C. To maintain and issue a specific list of items

D. To order a set of related commodity codes

Answer(s): C

6. When entering an asset's reading for a Characteristic type of meter, which field must be entered?

A. Meter Type

B. Asset Number

C. Reading Type

D. New Reading

Answer(s): D

7. A user is able to create a new work order from the Work Order Tracking application, the Assets application, and from which other application?

A. Purchase Contracts

B. Condition Monitoring

C. Meters

D. Job Plans

Answer(s): B

8. Which statement is true regarding the master Preventive Maintenance (PM) record?

A. A master PM record is generated by the Assets application.

B. Associations between existing PM records and a master PM record can be made.

C. A master PM record is generated by the Meters application.

D. A master PM record generates work orders like any other PM.

Answer(s): B

9. In the Receiving application, what does the Quantity Accepted field indicate?

A. The quantity of items that passed inspection

B. The quantity of items that are awaiting inspection

C. The quantity of items that received inspection

D. The quantity of items accepted for inspection

Answer(s): A

10. An asset is created and measurement points are associated. Which IBM Maximo Asset Management V7.5 application sets Upper Limit and Lower Limit Job Plans?

A. Assets

B. Condition Monitoring

C. Meters

D. Work Order Tracking

Answer(s): B

11. Job plan's responsibility can be assigned to a supervisor, crew, lead, and owner. Which statement is true regarding a work order that results from a job plan?

A. The values for supervisor, crew, lead, and owner from the job plan always carry over to the work order regardless of the values for supervisor, crew, lead, and owner defined on the preventive maintenance record.

B. If the values for lead and owner are different on the preventive maintenance record compared to those on the job plan, the values on the preventive maintenance record take the place of those on the job plan when copied to the work order. Values for supervisor and crew come from the job plan.

C. If the values for supervisor, crew, lead, and owner on the preventive maintenance record are different compared to those on the job plan, the values on the preventive maintenance record take the place of

those on the job plan when copied to the work order.

D. If the values for lead and owner are different on the preventive maintenance record compared to those on the job plan, the values on the job plan take the place of those on the preventive maintenance record when copied to the work order. Values for supervisor and crew come from the preventive maintenance record.

Answer(s): C

12. ABC Corporation is about to deploy the IBM Maximo Asset Management V7.5 to manage the company assets. They want to add the GLACCOUNT attribute in the Assets application.

A. In the Application Designer, duplicate the Conditional User Interface to show the GLACCOUNT attribute.

B. In the Application Designer, add the GLACCOUNT attribute in the Assets application using a control.

C. Customize the Asset JSP file and then rebuild and redeploy the maximo.ear file

D. In the Database Configuration application, configure the GLACCOUNT attribute properties; enable the Admin Mode, and Apply Configuration Changes.

Answer(s): B

13. Where is the Attached Documents location defined when using IBM HTTP Server?

A. httpapp.xml file

B. web.xml file

C. httpd.conf file

D. document.conf file

Answer(s): C

14. Where are documents added to IBM Maximo Asset Management V7.5?

A. Manage Documents Select Action from the application that allows attached documents

B. Manage Folders Select Action from the application that allows attached documents

C. Manage Files Select Action from the application that allows attached documents

D. Manage Library Select Action from the application that allows attached documents

Answer(s): D

15. Where are IBM Maximo Asset Management V7.5 properties changed?

A. Mxserver.properties file

B. Logging.properties file

C. System Properties application

D. Application Properties application

Answer(s): C

16. What is the definition of a work package?

A. It is a group of work orders in Waiting to be Scheduled status that are the responsibility of one person and is created in the Assignment Manager application.

B. It is a preventive maintenance work order hierarchy that has been created from a route.

C. It is a work order linked to all the originating services requests for the work order and is created from the Related Records tab.

D. It groups existing work orders under a new parent work order.

Answer(s): D

17. In which applications can a domain be applied to an attribute?

A. Classifications, Database Configuration, or Communication Templates applications

B. Classifications, Database Configuration, or Application Designer applications

C. Database Configuration, Communication Templates, or Application Designer applications

D. Application Designer, Classification, or Actions applications

Answer(s): B

18. Which statement is true regarding job plan editing?

A. To edit a job plan, use the select action command to Revise Job Plan. This action cancels the initial job plan, creating an editable copy in the REVISED status.

B. Job plans can never be edited once they have been revised (revision number > 0).

C. To designate a job plan for a different organization or site, use the select action command to Revise Job Plan and then change the organization or site identifier.

D. Job plans with a status of DRAFT or PNDREV may be edited.

Answer(s): D

19. What information can be found in the Report Viewer application?

A. Owner

B. Status

C. Report Type

D. Description

Answer(s): D

20. A company has deployed IBM Maximo Asset Management V7.5 (Maximo) to manage the company assets and the purchasing process. The company's purchasing process does not require an approved purchase request (PR) in order to generate a new purchase order (PO) but the buyer reported this problem when trying to create a new PO from an unapproved PR: Where can this validation be turned off in Maximo?

A. Purchase Orders application

B. Database Configuration application

C. Organizations application

D. System Properties application

Answer(s): C
