

# Huawei Certified Solutions Expert

1. Which of the following Huawei Cloud services belong to the SaaS layer service?

A. Elastic Cloud Server ECS

B. Cloud Desktop Service Workspace

C. Cloud Monitoring Service Cloud Eye

D. Cloud Container Engine CCE

**Answer(s): C**

---

2. Which of the following services can enable each instance in the scaling group to be allocated application traffic?

A. Elastic File Service SFS

B. Cloud Monitoring Service Cloud Eye

C. Elastic load average street ELB

D. Elastic public network IP

**Answer(s): C**

---

3. Which of the following cloud server resources can be automatically raised and lowered through elastic scaling?

A. bandwidth

B. RAM

C. CPU

D. Hard drive capacity

**Answer(s): A**

---

4. When registering a private image with the image file, the capacity of the system disk filled in is less than the capacity of the system disk inside the image file, which will cause the image creation to fail.

A. True

B. False

**Answer(s): A**

---

5. Which of the following commands can be used to view the newly added data disk in the Linux system?

A. fdisk-1

B. mkfs-t

C. mkdir

D. partprobe

**Answer(s): A**

---

6. What is the storage capacity unit of cloud hard drives?

A. PB

B. KB

C. GB

D. TB

**Answer(s): C**

---

7. by creating(), The system can automatically back up the cloud hard disk at a set point in time.

A. Backup

B. Label

C. Backup strategy

D. shared

**Answer(s): C**

---

8. On the cloud hard disk backup interface, you can delete the backup whose source is "Cloud Server Backup".

A. True

B. False

**Answer(s): B**

---

9. A user with which of the following rights can perform any operations on OBS resources?

A. TenantAdministrator

B. OBSViewer

C. TenantGuest

D. OBS Buckets Viewer

**Answer(s): A**

---

10. When configuring bucket logging, Which of the following statements about the storage location of the log file is correct?

A. Can be stored in the current bucket or other buckets

B. Can only be stored in other buckets

C. Enable log management

D. Can only be stored in the current bucket

**Answer(s): A**

---

11. When adding a VPC to the file system, the default IP address is automatically added 0.0.0.0/0, The default read and write permissions are "read only".

A. True

B. False

**Answer(s): B**

---

12. Which of the following descriptions about public clouds is wrong?

A. The public cloud is generally available via the Internet

B. Public cloud is a cloud built by enterprises using their own infrastructure

C. Public cloud can have many tenants at the same time

D. Public cloud can optimize resources on a large scale

**Answer(s): B**

---

13. What can be done when the vCPU and memory of the elastic cloud server you purchased is insufficient?

A. Mount the disk

B. Switch operating system

C. Reinstall the operating system

D. Change specifications

**Answer(s): D**

---

**14.** You can install the operating system on the elastic cloud server by yourself, Upgrade CentOS7.2 to CentOS7.30

A. True

B. False

**Answer(s): B**

---

**15.** In which of the following situations, the network delay between the deployed elastic cloud servers must be the shortest?

A. In the same security group

B. In the same VPC

C. In the same district

D. Same zone

**Answer(s): D**

---

**16.** After deleting the elastic scaling group, the elastic cloud server instance automatically created by elastic scaling will also be deleted automatically.

A. True

B. False

**Answer(s): A**

---

**17.** What is wrong about the following statement about the elastic scaling service?

A. Elastic scaling does not support viewing the status of instances in a scaling group.

B. Elastic scaling supports health checks on the status of the instance.

C. Elastic scaling can automatically adjust the number of instances in the scaling group according to the set strategy.

D. Elastic scaling supports instance protection for specific instances in the scaling group.

**Answer(s): A**

---

**18.** cloud hard drives can be backed up and restored across regions.

A. True

B. False

**Answer(s): B**

---

**19.** Which of the following data cannot be monitored in the object storage service console?

A. Number of objects

B. Traffic Statistics

C. Storage usage

D. Abnormal statistics

**Answer(s): D**

---

20. twenty one OSBrowser is an object storage service client running on Linux systems.

A. True

B. Falsen

**Answer(s): B**

---