

Huawei Certified Solutions Expert

1. All platforms of TE Desktop&Mobile support viewing conference content

A. TRUE

B. FALSE

Answer(s): A

2. MAX PRESENCE can solve the following pain points: (Multiple Choice)

A. Ordinary video endpoints deployed in large conference rooms: can't see clearly and fully

B. TV wall deployed in the TV system: no panoramic experience

C. Ordinary surveillance center and video conferencing system: difficult to share information

Answer(s): A,B,C

3. Does SMC support GEO redundancy?

A. TRUE

B. FALSE

Answer(s): A

4. The intelligent tracking function must be supported by the VFT300 camera jointing with the VC endpoint.

A. TRUE

B. FALSE

Answer(s): B

5. VP9650 MCU supports up to () HD sites at 1080p30.

A. 32

B. 96

C. 256

D. 168

Answer(s): B

6. In a video conference, when the formats of video or audio are different between sender and receiver, which of the following work should be done by MCU:

A. Continuous presence

B. Video switching

C. Transcoding

D. Audio mixing

Answer(s): C

7. Huawei vMCU suite is a one-stop video communications solution for SMB market.

A. TRUE

B. FALSE

Answer(s): A

8. In Huawei VC/TP Products family, which of the following products are Recording and Streaming Engine?

A. RSE6500-M

B. RSE-M(Built-in recording blade in MCU)

C. RSE6500-L

Answer(s): A,B,C

9. About MINI-MCU license ,the following description is correct (Multiple Choice)

A. TP3206-55 with Mini MCU license to manage a 12 sites conference

B. TE60 with Mini-MCU license support upto 9 sites conference exclude Cisco or Polycom endpoint

C. TE60 with Mini-MCU license upto 9 sites conference including Cisco or Polycom endpoint

D. TE30 with Mini-MCU license support upto 4 sites conference including Huawei endpoint and Cisco endpoint

Answer(s): C,D

10. By using Lyric Gateway(SBC),Huawei's VC termianl can join Lync video conference

A. TRUE

B. FALSE

Answer(s): A

11. What is the video resolution of SXGA?()

A. 1280*1024

B. 1024*768

C. 1920*1200

D. 1920*1080

Answer(s): B

12. About Huawei vMCU suite , which of the following is not correct

A. Supports both Advanced Video Coding (AVC) and Scalable Video Coding (SVC)

B. Support up to 1080P60

C. Hybrid network of H.323 and SIP

D. Support IPv6 and IPv4 network

Answer(s): B

13. Which descriptions are correct for AirPresence? (Multiple Choice)

A. Be able to control the TE10 and TE20 by app installed on mobile.

B. Support connection with endpoint by Bluetooth

C. Content sharing of PC/Phone/Pad

D. 1080p content sharing

Answer(s): A,C,D

14. MCU is deployed in the branch (Multiple Choice)

A. MCU+SC is deployed in the branch

B. MCU+SBC is deployed in the

C. MCU+SBC+SC is deployed in the branch

Answer(s): A,C

15. When we need to configure the MINI-MCU license for RP series product ,we may add the license in the configuration page in () (Multiple Choice)

A. TE40/50/60

B. DP300

C. TE30

D. TP3206-55

Answer(s): A,B,C

16. MAX PRESENCE provides the following strengths: (Multiple Choice)

A. Full-service convergence

B. Customized one-stop delivery

C. Boundless vision

D. Multi-in-one engine

Answer(s): A,B,C,D

17. RSE can support up to 0 stream viewers on standard video conferencing endpoints

A. 50

B. 30

C. 100

D. 2000

Answer(s): C

18. Which of the following protocols are used for video? () (Multiple Choice)

A. H.265

B. H.264

C. H.263

D. H.264 HP

E. G.7H

Answer(s): A,B,C,D

19. The embedded MCU of TE30 supports ()

A. 4V + 3A

B. 6V + 3A

C. 9V + 3A

Answer(s): A

20. RSE6500 can work with embedded MCU of Huawei video conferencing endpoints.

A. TRUE

B. FALSE

Answer(s): A
